



NEW




EB-338SV

General Specification:

- Stainless Steel
- Battery Operated Ignition
- Double-Jet System (L&R) Triple-Ring
- Cast-Iron Trivets
- Flame Supervision Device

Overall Dimension (mm)
W:760 x D:450 x H:65



Cut-out Dimension (mm)
W:670-730 x D:370-420, 4-R30



Blossom Flame



Safety Device



EB-228SV

General Specification:

- Stainless Steel
- Battery Operated Ignition
- Double-Jet System (L&R) Triple-Ring
- Cast-Iron Trivets
- Flame Supervision Device

Overall Dimension (mm)
W:750 x D:435 x H:65


Cut-out Dimension (mm)
W:650-720 x D:350-410, 4-R30



Blossom Flame



Safety Device



EB-248SV

General Specification:

- Stainless Steel
- Battery Operated Ignition
- Double-Jet System (L) Triple Ring
- Medium and Small Burners
- Cast-Iron Trivets
- Flame Supervision Device

Overall Dimension (mm)
W:580 x D:510 x H:88


Cut-out Dimension (mm)
W:545-560 x D:465-480, 4-R30



Blossom Flame



Safety Device





NEW



OS-802SV

General Specification:

- Stainless Steel
- Battery Operated Ignition
- Double-Jet System (L&R) Triple-Ring
- Cast-Iron Trivets
- Flame Supervision Device

Overall Dimension (mm)

W:860 x D:510 x H:65

Cut-out Dimension (mm)

W:695-820 x D:395-460, 4-R120

NEW



OS-803SV

General Specification:

- Stainless Steel
- Battery Operated Ignition
- Double-Jet System (L&R) Triple-Ring
- Cast-Iron Trivets
- Flame Supervision Device

Overall Dimension (mm)

W:860 x D:510 x H:65

Cut-out Dimension (mm)

W:695-820 x D:395-460, 4-R120

NEW



OS-812SV

General Specification:


- Stainless Steel
- Battery Operated Ignition
- Double-Jet System (L) Triple-Ring
- Cast-Iron Trivets
- Medium and Small Burners
- Flame Supervision Device

Overall Dimension (mm)

W:860 x D:510 x H:65

Cut-out Dimension (mm)


W:695-820 x D:395-460, 4-R120



Blossom Flame



Safety Device





Blossom Flame




Safety Device

WG-248SV

General Specification:

- Toughened Glass
- Battery Operated Ignition
- Double-Jet System (L)
Triple Ring
- Medium and Small Burners
- Cast-Iron Trivets
- Flame Supervision Device

Overall Dimension (mm)
W:600 x D:520 x H:88
Cut-out Dimension (mm)
W:545-560 x D:465-480, 4-R30



Blossom Flame




Safety Device

WG-2SV

General Specification:

- Toughened Glass
- Battery Operated Ignition
- Double-Jet System (L&R)
Triple Ring
- Cast-Iron Trivets
- Flame Supervision Device

Overall Dimension (mm)
W:800 x D:510 x H:65
Cut-out Dimension (mm)
W:670-740 x D:350-460, 4-R50



NEW




WG-820SV

General Specification:

- Toughened Glass
- Battery Operated Ignition
- Double-Jet System (L&R)
Triple Ring
- Cast-Iron Trivets
- Flame Supervision Device




Blossom Flame



Safety Device

Overall Dimension (mm)
W:870 x D:500 x H-65

Cut-out Dimension (mm)
W:695-820 x D:395-460, 4-R120



NEW



WG-830SV

General Specification:

- Toughened Glass
- Battery Operated Ignition
- Double-Jet System (L&R)
Triple Ring
- Cast-Iron Trivets
- Flame Supervision Device


NEW



WG-850SV

General Specification:

- Toughened Glass
- Battery Operated Ignition
- Double-Jet System (L)
Triple Ring
- Medium and Small Burners
- Cast-Iron Trivets
- Flame Supervision Device




EH-9160

General Specification:

- 600mm Conventional Hood
- Stainless Steel Finishing With Black Acrylic Front Panel
- 2 x 100W Motor
- 1 x 40W Warm Light
- 3-Speed Mechanical Push Button Control
- 2 x Alu Filter & 2 x Carbon Mat

Air-Flow: 450 m³/h

Noise Level: 61db (LPA)



EH-9180



EH-9280


EH-9180 / EH-9280

General Specification:

- 900mm Conventional Hood
- Stainless Steel Finishing With Black Acrylic Front Panel
- 2 x 100W Motor
- 1 x 40W Warm Light
- 3-Speed Mechanical Push Button Control
- 3 x Alu Filter & 3 x Carbon Mat (EH-9180)
- 3 x Alu Filter & 2 x Charcoal Filter (EH-9280)

Air-Flow: 450 m³/h

Noise Level: 61db (LPA)




EH-2980

General Specification:

- 900mm Slim-Line Hood
- Stainless Steel Finishing
- 2 x 63W Motor
- 2 x 1.5W LED Light
- 3-Speed Mechanical Push Button Control
- 1 x Stainless Steel Plate-Cover
- 1 x Charcoal Chip

Air-Flow: 550 m³/h

Noise Level: 56db (LPA)




EH-2988

General Specification:

- 900mm Conventional Hood
- Stainless Steel Finishing
- Hot Auto-Clean
- 2 x 160W Motor
- 2 x 40W Warm Light
- 2-Speed Mechanical Push Button Control
- 4 x Oil Collectors (2x Rectangular & 2x Round)
- 1 x Carbon Mat

Air-Flow: 720 m³/h

Noise Level: 56db (LPA)






EH-6388

General Specification:

- 900mm Chimney Hood
- Stainless Steel Finishing
- 1 x 250w Motor
- 2 x 1.5w LED Light
- 3-Speed Mechanical Push Button Control
- 3 x Aluminium Metallic Filter
- 2 x Charcoal Filter

Air-Flow: 800 m³/h

Noise Level: 60db (LPA)




EH-6689

General Specification:

- 900mm Chimney Hood
- Stainless Steel Body with Arch Glass
- 1 x 250w Motor
- 2 x 1.5w LED Light
- 3-Speed Push Button Electronic Control
- 1 x Aluminium Metallic Filter
- 1 x Charcoal Filter

Air-Flow: 800 m³/h

Noise Level: 60db (LPA)




EH-2680

General Specification:

- 900mm Chimney Hood
- Stainless Steel Finishing
- 1 x 270w Motor
- 2 x 1.5w LED Light
- 3-Speed Soft Touch Speed Switch
- 1 x Stainless Steel Baffle Filter
- 1 x Charcoal Filter

Air-Flow: 1000 m³/h

Noise Level: 61db (LPA)



EH-2690

General Specification:


- 900mm Designer Hood
- Anodize Aluminum + Black Paint
- 1 x 210W Motor
- 2 x 1.5W Square LED Light
- 3-Speed Electronic Button with Backlight and Blue EL Light
- 3 x Aluminium Metallic Filter with Coating
- 2 x Charcoal Filter

Air-Flow: 850 m³/h

Noise Level: 65db (LPA)

Overall Dimension (mm)

W:900 x D:500 x H:40 + [480-980]



AG



BK

EH-2800

General Specification:

- 450mm Box Hood
- Stainless Steel Finishing
- Body Colour with Apple-Green or Black
- 1 x 210W Motor
- 2 x 1.5W Multi LED Light
- 3-Speed Electronic Button with Backlight
- 1 x Aluminium Filter
- 2 x Charcoal Filter


Air-Flow: 850 m³/h

Noise Level: 65db (LPA)

Overall Dimension (mm)

W:445 x D:355 x H:530 + [450-940]

Optional
Chimney [450-940]






EH-2683

General Specification:

- 900mm Wall-Mount Hood
- Stainless Steel Finishing
- 1 x 270W Motor
- 2 x 1.5W LED Light
- 3-Speed Soft Touch Speed Switch
- 3 x Stainless Steel Baffle Filter
- 1 x Charcoal Filter

Air-Flow: 1200 m³/h

Noise Level: 58db (LPA)




EH-2688

General Specification:

- 900mm Wall-Mount Hood
- Stainless Steel Body with Arch Glass
- 1 x 270W Motor
- 2 x 1.5W LED Light
- 3-Speed push button control
- 2 x Stainless Steel Baffle Filter
- 1 x Charcoal Filter

Air-Flow: 1200 m³/h

Noise Level: 58db (LPA)




EH-2692

General Specification:

- 900 mm Wall-Mount Hood
- Black body with tempered arch glass (Auto open/close)
- 1 x 230W Motor
- 2 x 1.5W Square LED Light
- 3-Speed LCD touch control with remote control
- 1 x Aluminium Metallic Filter
- 2 x Charcoal Filter

Air-Flow: 1000 m³/h


Noise Level: 72db (LPA)



B02AAP-3S

General Specification:


- Tempered Glass Door and Panel
- Mechanical Control System
- Push & Pull Knob
- 120 mins Timer
- Temperature 50°C - 250°C
- "A" Rated Energy Efficiency
- 3 layers of transparent tempered glass door
- 56 Litres Capacity
- With cooling system
- Rounded aluminum handle
- 5 slot's position for shelves





B02BBP-3S


General Specification:

- Anti-finger print (#430 S/S) panel
- Mechanical Control System
- Push & Pull Knob
- 120 mins Timer
- Temperature 50°C - 250°C
- "A" Rated Energy Efficiency
- 3 layers of transparent tempered glass door
- 56 Litres Capacity
- With cooling system
- Rounded aluminum handle
- 5 slot's position for shelves





Hood Hob		EH-9160	EH-9180	EH-9280	EH-2980	EH-2988	EH-6388	EH-6689	EH-2800	EH-2800	EH-2680	EH-2690	EH-2683	EH-2688	EH-2692
															
		W-600 x D-500 x H-80 Airflow: 450m³h	W-900 x D-500 x H-80 Airflow: 450m³h	W-900 x D-500 x H-140 Airflow: 450m³h	W-900 x D-420 x H-50+70 Airflow: 550m³h	W-900 x D-500 x H-100 Airflow: 720m³h	W-900 x D-500 x H-718 Airflow: 800m³h	W-898 x D-500 x H-618 Airflow: 800m³h	W-445 x D-355 x H-530 Airflow: 850m³h	W-445 x D-355 x H-530 Airflow: 850m³h	W-900 x D-500 x H-555 Airflow: 1000m³h	W-900 x D-500 x H-520 Airflow: 850m³h	W-900 x D-430 x H-910 Airflow: 1200m³h	W-900 x D-400 x H-910 Airflow: 1200m³h	W-900 x D-440 x H-962 Airflow: 1000m³h
EB-228SV		\$646 Usual: \$706	\$646 Usual: \$706	\$666 Usual: \$726	\$656 Usual: \$716	\$716 Usual: \$776	\$706 Usual: \$806	\$926 Usual: \$1026	\$926 Usual: \$1026	\$926 Usual: \$1026	\$1,097 Usual: \$1197	\$1,097 Usual: \$1197	\$1,306 Usual: \$1406	\$1,386 Usual: \$1486	\$1,486 Usual: \$1586
	W: 650-720 x D: 350-410 x H: 65														
EB-248SV		\$706 Usual: \$766	\$706 Usual: \$766	\$726 Usual: \$786	\$716 Usual: \$776	\$776 Usual: \$836	\$766 Usual: \$866	\$986 Usual: \$1086	\$986 Usual: \$1086	\$986 Usual: \$1086	\$1,157 Usual: \$1257	\$1,157 Usual: \$1257	\$1,366 Usual: \$1466	\$1,446 Usual: \$1546	\$1,546 Usual: \$1646
	W: 545-560 x D: 465-480 x H: 65														
EB-338SV		\$696 Usual: \$756	\$696 Usual: \$756	\$716 Usual: \$776	\$706 Usual: \$766	\$766 Usual: \$826	\$756 Usual: \$856	\$976 Usual: \$1076	\$976 Usual: \$1076	\$976 Usual: \$1076	\$1,147 Usual: \$1247	\$1,147 Usual: \$1247	\$1,356 Usual: \$1456	\$1,436 Usual: \$1536	\$1,536 Usual: \$1636
	W: 670-730 x D: 370-420 x H: 65														
OS-802SV		\$706 Usual: \$766	\$706 Usual: \$766	\$726 Usual: \$786	\$716 Usual: \$776	\$776 Usual: \$836	\$766 Usual: \$866	\$986 Usual: \$1086	\$986 Usual: \$1086	\$986 Usual: \$1086	\$1,157 Usual: \$1257	\$1,157 Usual: \$1257	\$1,366 Usual: \$1466	\$1,446 Usual: \$1546	\$1,546 Usual: \$1646
	W: 695-820 x D: 395-460 x H: 65														
OS-803SV		\$756 Usual: \$816	\$756 Usual: \$816	\$776 Usual: \$836	\$766 Usual: \$826	\$826 Usual: \$886	\$816 Usual: \$916	\$1,036 Usual: \$1136	\$1,036 Usual: \$1136	\$1,036 Usual: \$1136	\$1,207 Usual: \$1307	\$1,207 Usual: \$1307	\$1,416 Usual: \$1516	\$1,496 Usual: \$1596	\$1,596 Usual: \$1696
	W: 695-820 x D: 395-460 x H: 65														
OS-812SV		\$756 Usual: \$816	\$756 Usual: \$816	\$776 Usual: \$836	\$766 Usual: \$826	\$826 Usual: \$886	\$816 Usual: \$916	\$1,036 Usual: \$1136	\$1,036 Usual: \$1136	\$1,036 Usual: \$1136	\$1,207 Usual: \$1307	\$1,207 Usual: \$1307	\$1,416 Usual: \$1516	\$1,496 Usual: \$1596	\$1,596 Usual: \$1696
	W: 695-820 x D: 395-460 x H: 65														

Hood Hob		EH-9160	EH-9180	EH-9280	EH-2980	EH-2988	EH-6388	EH-6689	EH-2800	EH-2800	EH-2680	EH-2690	EH-2683	EH-2688	EH-2692
															
		W-600 x D-500 x H-80 Airflow: 450m ³ /h	W-900 x D-500 x H-80 Airflow: 450m ³ /h	W-900 x D-500 x H-140 Airflow: 450m ³ /h	W-900 x D-420 x H-50+70 Airflow: 550m ³ /h	W-900 x D-500 x H-100 Airflow: 720m ³ /h	W-900 x D-500 x H-718 Airflow: 800m ³ /h	W-898 x D-500 x H-618 Airflow: 800m ³ /h	W-445 x D-355 x H-530 Airflow: 850m ³ /h	W-445 x D-355 x H-530 Airflow: 850m ³ /h	W-900 x D-500 x H-555 Airflow: 1000m ³ /h	W-900 x D-500 x H-520 Airflow: 850m ³ /h	W-900 x D-430 x H-910 Airflow: 1200m ³ /h	W-900 x D-400 x H-910 Airflow: 1200m ³ /h	W-900 x D-440 x H-962 Airflow: 1000m ³ /h
WG-25SV		\$666 Usual: \$726	\$666 Usual: \$726	\$686 Usual: \$746	\$676 Usual: \$736	\$736 Usual: \$796	\$726 Usual: \$826	\$946 Usual: \$1046	\$946 Usual: \$1046	\$946 Usual: \$1046	\$1,117 Usual: \$1217	\$1,117 Usual: \$1217	\$1,326 Usual: \$1426	\$1,406 Usual: \$1506	\$1,506 Usual: \$1606
	W: 670-740 x D: 350-460 x H: 65														
WG-248SV		\$736 Usual: \$796	\$736 Usual: \$796	\$756 Usual: \$816	\$746 Usual: \$806	\$806 Usual: \$866	\$796 Usual: \$896	\$1,016 Usual: \$1116	\$1,016 Usual: \$1116	\$1,016 Usual: \$1116	\$1,187 Usual: \$1287	\$1,187 Usual: \$1287	\$1,396 Usual: \$1496	\$1,476 Usual: \$1576	\$1,576 Usual: \$1676
	W: 545-560 x D: 465-480 x H: 65														
WG-820SV		\$716 Usual: \$776	\$716 Usual: \$776	\$736 Usual: \$796	\$726 Usual: \$786	\$786 Usual: \$846	\$776 Usual: \$876	\$996 Usual: \$1096	\$996 Usual: \$1096	\$996 Usual: \$1096	\$1,167 Usual: \$1267	\$1,167 Usual: \$1267	\$1,376 Usual: \$1476	\$1,456 Usual: \$1556	\$1,556 Usual: \$1656
	W: 695-820 x D: 395-460 x H: 65														
WG-830SV		\$786 Usual: \$846	\$786 Usual: \$846	\$806 Usual: \$866	\$796 Usual: \$856	\$856 Usual: \$916	\$846 Usual: \$946	\$1,066 Usual: \$1166	\$1,066 Usual: \$1166	\$1,066 Usual: \$1166	\$1,237 Usual: \$1337	\$1,237 Usual: \$1337	\$1,446 Usual: \$1546	\$1,526 Usual: \$1626	\$1,626 Usual: \$1726
	W: 695-820 x D: 395-460 x H: 65														
WG-850SV		\$786 Usual: \$846	\$786 Usual: \$846	\$806 Usual: \$866	\$796 Usual: \$856	\$856 Usual: \$916	\$846 Usual: \$946	\$1,066 Usual: \$1166	\$1,066 Usual: \$1166	\$1,066 Usual: \$1166	\$1,237 Usual: \$1337	\$1,237 Usual: \$1337	\$1,446 Usual: \$1546	\$1,526 Usual: \$1626	\$1,626 Usual: \$1726
	W: 695-820 x D: 395-460 x H: 65														

Purchase with Purchase

ELLANE Built-in Oven
Usual price: \$688

Discount additional \$50
for every purchase with
above Package Deal!



B02AAP-3S



B02BBP-3S



1 x Drip Pan



1 x Grill Ware

